INVITATION TO BID

The City of Somerset will be accepting sealed bids for the construction of new and replacement sidewalks to be performed at various times and locations in the City of Somerset.

All bids shall be for side preparation, forming and labor to pour the lengths as shown on the City Official Bid Sheet and to the specifications for City of Somerset sidewalks.

All bids shall be on the City Official Bid Sheet and in effect from July 1st, 2019 thru June 30, 2020. Official Bid Sheet and specifications can be obtained at the Somerset Energy Center located at 306 E. Mt. Vernon Street.

Bids will be received by the City Clerk's office located at 306 E. Mt. Vernon Street, Somerset, KY until 10:00am on June 14, 2019. Bids must be submitted in a sealed envelope and addressed as follows:

Attn: Sidewalk Bids

Somerset Energy Center 306 E. Mt. Vernon Street Somerset, KY 42501

For more information about the sidewalk specifications contact David Hargis, Street Superintendent, at 606-679-1106.

The City of Somerset reserves the right to reject any or all bids.

CITY OF SOMERSET SIDEWALK SPECIFICATIONS

NEW CONSTRUCTION:

- 1) The site shall be prepared for stable conditions with a minimum of 2" of 610 stone.
- 2) All concrete shall be Class "A", with a maximum slump of 4"
- 3) All concrete shall be a minimum of 4" thick by 54" wide.
- 4) No reinforcement shall be required
- 5) All concrete shall have fiber in concrete for additional strength.

REPLACEMENT CONSTRUCTION:

- 1) All existing concrete shall be removed and disposed of at City's instruction.
- 2) The site shall be prepared for stable conditions with a minimum of 2" of 610 stone.
- 3) All concrete shall be Class "A", with a maximum slump of 4".
- 4) No reinforcement shall be required.
- 5) All concrete shall have fiber in concrete for addition strength.
- 6) Sidewalk width shall be the same as previous unless specified

CITY OFFICIAL BID SHEET

NEW CONSTRUCTION PRICE PER FOOT 1) 6TH 2) 3) 10 4) 4) 11 5) 6) 12 7) 7) 13 1) 1) 14 1) 1) 15 10 2) 16 2) 2) 17 2) 3) 18 3) 3)						
1) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2)		NEW CONS	RUCTION		REPALCEMENT COI	REPALCEMENT CONSTRUCTION SIDEWALK
13 23 33 40 40 50 60 60 11 11 21	Γ	SIDEWALK LENGTH	PRICE PER FOOT		LENGTH	PRICE PER FOOT
23 3 3 4 4 5 5 6 6 7 7 1 1 1 2 3 3	A	1 to 10'		13	1' to 10'	
33 40 50 50 50 50 50 50 50	ก	11' to 20'		4	11' to 20'	
4) 55 60 71 11 11 22 21 31 31 31 31 31 31 31 31 31 31 31 31 31	m	21' to 30'		(8)	21' to 30'	
53 69 77 1) 1)	4	31' to 40'		4	31' to 40'	
69 71 11 22 33	ទ	41' to 50'		(5)	41' to 50'	
1) 1) 2) 2) 3)	6	51' to 60'		(9)	51' to 60'	
1) 2) 2) 3)	F	61' to 70'		<u></u>	61' to 70'	
2)	=	71' to 80'		7	71' to 80'	
(6)	2	81' to 90'		2	81' to 90'	
	m	91' to 100'		3)	91' to 100'	

By signing this document Icertify that I have read and understand the attached specification for sidewalk construction and these are my prices.

OFFICIAL SIGNATURE

DATE